



#6 03 CO
AJ

IN THE UNITED STATES DESIGNATED/ELECTED OFFICE

In re Application of :

Francis GILES et al. :

Group Art Unit: Not Yet Assigned

Serial No. 09/785,235 :

Examiner: Not Yet Assigned

Filed: February 20, 2001 :

Title: METHOD FOR THE TREATMENT OR PREVENTION OF *FLAVIVIRUS*
INFECTIONS USING NUCLEOSIDE ANALOGUES

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

SIR:

This Information Disclosure Statement is being submitted prior to the issuance of the first Office Action on the merits. Therefore, no fee is required. See 37 C.F.R. §1.97(b)(3).

Copies of the following documents are provided for the Examiner's consideration.

These documents are also listed on the attached form PTO-1449.

US 5,506,215, April 9, 1996

US 6,110,901, August 29, 2000

WO 94/26761, November 24, 1994

WO 98/18324, May 7, 1998

WO 99/43691, September 2, 1999

WO 00/62799, October 26, 2000

EP 0322384 B1, October 27, 1988

EP 1046648 A1, June 7, 1999

Tai Shun *et al.*, "Synthesis and Anticancer Activity of Various 3'-Deoxy Pyrimidine Nucleoside Analogues and Crystal Structure of 1-(3-Deoxy- β -D-threo-pentofuranosyl) cytosine", J. Med. Chem. 1991, 34, 693-701;

Mineo Saneyoshi *et al.*, "Synthetic Nucleosides and Nucleotides. XXXV. Synthesis and Biological Evaluations of 5-Fluoropyrimidine Nucleosides and Nucleotides of 3-Deoxy- β -D-ribofuranose and Related Compounds", Chem. Pharm. Bull. 1995 43(11), 2005-2005;

Janos Ludwig and Fritz Eckstein, "Rapid and Efficient Synthesis of Nucleoside 5'-O-(1-Thiotriphosphates), 5'-Triphosphates and 2',3'-Cyclophosphorothioates Using 2-Chloro-4H-1,3,2-benzodioxaphosphorin-4-one", J. Org. Chem. 1989, 54, 631-635;

Stephen Hanessian and Pierre Lavallée, "The Preparation and Synthetic Utility of tert-Butyldiphenylsilyl Ethers", Can. J. Chem. 1975, 53(19), 2975-2977;

Stephen H. Kawai *et al.*, "Synthesis Of Branched-Chain And Bicyclic Thiosugar Nucleosides" from Nucleosides Nucleotides, edited by Leroy B. Townsend, 1988 Plenum Press Volumes 1 and 2, 1990, 9(8), 1045-1060;

Krzysztof W. Pankiewicz *et al.*, J. Org. Chem. 1992, 57, 7315-7321, Synthesis of 2'- β -Fluoro-and 3'- α -Fluoro-Substituted Guanine Nucleosides. Effects of Sugar Conformational Shifts on Nucleophilic Displacement of the 2'-Hydroxy and 3'-Hydroxy Group with DAST;

Igor A. Mikhailopulo *et al.*, J. Med. Chem. 1991, 34, 2195-2202, Synthesis and Antiviral and Cytostatic Properties of 3'-Deoxy-3'-fluoro-and 2'-Azido-3'-fluoro-2',3'-dideoxy-D-ribofuranosides of Natural Heterocyclic Bases;

Frédéric Puech *et al.*, Chem. Soc., Chem. Commun. 1989, (14), 955-957, Synthesis of 9-(3-Deoxy-3-fluoro- β -D-ribofuranosyl)guanine, a New Potent Antiviral Agent;

Van Aerschot *et al.*, Antiviral Research, 12, 1989, 133-150, Synthesis and antiviral activity evaluation of 3'-fluoro-3'-deoxyribonucleosides: broad-spectrum antiviral activity of 3'-fluoro-3'-deoxyadenosine;

Igor A. Mikhailopulo *et al.*, FEBS Lett. 1989, 250(2), 139-141, 3'-Fluoro-3'-

deoxyribonucleoside 5'-triphosphates: synthesis and use as terminators of RNA biosynthesis;

Hemant K. Misra *et al.*, J. Heterocycl. Chem., May–June 1984, 21(3), 773-775,
Reaction of 1-(2,-3'-Epoxy- β -D-lyxofuranosyl)uracil with Hydrogen Fluoride. The
Unexpected Formation of 1-(3'-Fluoro-3'-deoxy- β -ribofuranosyl)uracil;

G. Kowollik *et al.*, J. Carbohydr., Nucleosides, Nucleotides, 1975, 2(3), 191-195,
Nucleosides of Fluorocarbohydrates, XIII synthesis of 3'-deoxy-3'-fluorouridine;

Tokumi Maruyama *et al.*, Nucleic Acids Symp. Ser. 1997, 37, 17-18, Synthesis of the
2'-deoxy-2'-fluoro and 3'-deoxy-3'-fluoro analogues of 8-nromoadenosine;

Tokumi Maruyama *et al.*, Nucleosides & Nucleotides 1998, 17(1-3), 115-122,
Synthesis of 8-substituted analogs of 3'-deoxy-3'-fluoroadenosine;

Giordani *et al.*, Nucleosides & Nucleotides 1991, 10(1-3), 719-721, A new Synthesis
of 3'-Fluoro-3'-deoxyadenosine;

Carlo Battistini *et al.*, Synthesis, 1990, (10), 900-905, Synthesis of 3'-Fluoro-3'-
deoxyadenosine Starting from Adenosine;

Andrea Neumann *et al.*, Z. Chem. , 1989, 29(6), 209-210, Uber die Synthese von 3'-
desoxy-3'-fluoradenosin durch chemische Transglykosidierung;

Yoshitomi Morizawa *et al.*, Bull. Chem. Soc. Jpn., June 1989, 62(6), 2119-2120,
Stereoselective Synthesis of 3'-Deoxy-3'-fluoroadenosine;

P. Herdewijn *et al.*, Nucleosides & Nucleotides, 1989, 8(1), 65-96, Synthesis of
Nucleosides Fluorinated in the Sugar Moiety. The Application of Diethylaminosulfur
Trifluoride to the Synthesis of Fluorinated Nucleosides;

Elzbieta Lewandowska *et al.*, Tetrahedron, 1997, 53(18), 6295-6302, Efficient Removal of Sugar A-Tosyl Groups and Heterocycle Halogens from Purine Nucleosides with Sodium Naphthalenide;

V. I. Kobylinskaya *et al.*, Bioor. Khim., 1994, 20(11), 1226-1230, Synthesis of Fluoro and Aido Derivatives of Purine Nucleosides from Nucleosides 2',3'-Cyclosulphates;

Piet Herdewijn *et al.*, Helvetica Chim. Acta, 1991, 74(1), 7-23, Synthesis of Modified Oligomeric 2'-5' A Analogues: Potential Antiviral Agents;

Hiroyuki Hayakawa *et al.*, Chem. Pharm. Bull., 1990, 38(5), 1136-1139, Diethylaminosulfur (DAST) as a Fluorinating Agent of Pyrimidine Nucleosides Having a 2',3'-Vicinal Diol System;

Frédéric Puech *et al.*, Tetrahedron Lett., 1990, 30(24), 3171-3174, Synthesis of 9-(3-Deoxy-and 2,3-Dideoxy-3-Fluoro- β -D-Xylofuranosyl) Guanines as Potential Antiviral Agents;

P. Herdewijn *et al.*, J. Med. Chem., 1987, 30(11), 2131-2137, Synthesis and Anti-HIV Activity of Various 2'-and 3'-Substituted 2',3'-Dideoxyadenosines: A Structure-activity Analysis;

Morris J. Robins *et al.*, J. Org. Chem, 1974, 39(11), 1564-1570, Nucleic Acid Related Compounds. 11. Adenosine 2',3'-ribo-Epoxide. Synthesis, Intramolecular Degradation, and Transformation into 3'-Substituted Xylofuranosyl Nucleosides and the *lyxo*-Epoxide;

John A. Wright *et al.*, J. Med. Chem., 1970, 13(2), 269-272, Nucleosides. LXIV. Fluoro Sugar Analogs of Arabinosyl- and Xylosyleytosines;

J. A. Wright *et al.*, Carbohydr. Res., 1968, 6(3), 347-54, Fluorocarbohydrates Part XVIII. 9-(3-Deoxy-3-Fluoro- β -D-Xylofuranosyl) Adenine and 9-(3-Deoxy-3-Fluoro- α -D-Arabinofuranosyl) Adenine;

Donald E. Bergstrom *et al.*, J. Med. Chem., 1992, 35(18), 3369-3372, 3',3'-Difluoro-3'-deoxythymidine: Comparison of Anti-HIV Activity to 3'-Fluoro-3'-deoxythymidine;

Vincente Samano *et al.*, Tetrahedron Lett., 1994, 35(21), 3445-3448, Synthesis of 3'-Deoxyadenosine-3'-Spirocyclopropane, 3'-Deoxy-Uridine-3'-Spirocyclopropane, and 5'-Deoxy-4',5'-Methanoadenosine;

Panagiotis Ioannidis *et al.*, Nucleosides & Nucleotides, 1993, 12(8), 865-877, Synthesis of 2',3'-Didehydro-2',3'-Dideoxy-3'-C-Methyl Substituted Nucleosides

Vincente Samano *et al.*, Can. J. Chem., 1993, 71(2), 186-191, Nucleic acid related compounds. 77. 2',3'-Didehydro-2',3'-dideoxy-2'(and 3')-methyl nucleosides via [3,3]-sigmatropic rearrangements of 2'(and 3')-methylene-3'(and 2')-O-thiocarbonyl derivatives and radical reduction of a 2'-chloro-3'-methylene analogue;

Morris J. Robins *et al.*, J. Med. Chem., 1992, 35(12), 2283-2293, Nucleic Acid Related Compounds. 74. Synthesis and Biological Activity of 2'(and 3')-Deoxy-2'(and 3')-methylenenucleoside Analogues That Function as Mechanism-Based Inhibitors of S-Adenosyl-L-homocysteine Hydrolase and/or Ribonucleotide Reductase

Tai-Shun Lin *et al.*, J. Med. Chem., 1991, 34(8), 2607-2615, Synthesis and Anticancer and Antiviral Activities of Various 2'- and 3'-Methylidene-Substituted Nucleoside Analogues and Crystal Structure of 2'-Deoxy-2'-methylidenecytidine Hydrochloride;

Vincente Samano *et al.*, Synthesis, 1991, (4), 283-288, Stereoselective Addition of a Wittig Reagent To Give A Single Nucleoside Oxaphosphetane Diastereoisomer. Synthesis of 2'(and 3')-methyleneuridine (and cytidine) Derivatives from Uridine Ketonucleosides;

Jean M. J. Trochet *et al.*, Helvetica, Chim. Acta, 1981, 64(2), 425-429, 42. Un nouvel exemple de nucléoside à sucre ramifié insaturé: la désoxy-3'-méthylidène-3'-adénosine;

Vincente Samano *et al.*, J. Org. Chem., 1991, 56(25), 7108-7113, Nucleic Acid Related Compounds. 70. Synthesis of 2'-(and 3')-Deoxy-2'-(and 3')-methylenadenosines and Bis (methylene)furan 4',5'-Didehydro-5'-deoxy-2'-(and 3')-methylenadenosines. Inhibitors of S-Adenosyl-L-homocysteine Hydrolase and Ribonucleotide Reductase;

Akira Matsuda *et al.*, Nucleosides & Nucleotides, 1992, 11(2-4), 197-226, Nucleosides and Nucleotides. 104. Radical and Palladium-Catalyzed Deoxygenation of the Allylic Alcohol Systems in the Sugar Moiety of Pyrimidine Nucleosides

Pawel J. Serafinowski *et al.*, Nucleosides & Nucleotides, 1997, 16 (7-9), 1529-1532, Synthesis and NMR Spectra of some new Carbohydrate modified Uridine Phosphoramidites;

Pawel J. Serafinowski *et al.*, Tetrahedron, 1996, 52 (23), 7929-7938, New Method for the Preparation of 3'-and 2'-Phosphoramidites of 2'- and 3'-Difluoromethylenuridine;

Sven-Erik Behrens *et al.*, EMBO 15, 1996, 12-22, Identification and properties of the RNA-dependent RNA polymerase of hepatitis C Virus;

Volker Lohmann *et al.*, J. Virol., 1997, 71, 8416-8428, Biochemical Properties of Hepatitis C Virus NS5B RNA-Dependent RNA Polymerase and Identification of Amino Acid Sequence Motifs Essential for Enzymatic Activity;

Vladimir D. Axelrod *et al.*, Biochemistry, 1985, 24, 5716-5723, Transcription from Bacteriophage T7 and SP6 RNA Polymerase Promoters in the Presence of 3''Deoxyribonucleoside 5'-Triphosphate Chain Terminators;

Vladimir D. Axelrod *et al.*, Nucleic Acids Research, Volume 5, Number 10, October 1978, 3549-3563, Specific termination of RNA Polymerase Synthesis as a method of RNA

and DNA sequencing;

Gilles Gosselin *et al.*, J. Med. Chem., 1986, 29, 203-213, Systematic Synthesis and Biological Evaluation of α - and β -D-Zylofuranosyl Nucleosides of the Five Naturally Occurring Bases in Nucleic Acids and Related Analogues;

Satoru Suzuki *et al.*, Molecular Pharmacology, 30, 301-306, A Proposed Mechanism for the Selective Inhibition of Human Cytomegalovirus Replication by 1-(2'-Deoxy-2'-fluoro- β -D-arabinofuranosyl)-5-fluorouracil;


J.M. Crance *et al.*, Journal of Medical Virology 31, 1990, 155-160, Inhibition of Hepatitis A Virus Replication In Vitro by Antiviral Coumpounds;

Minzo Saneyoshi *et al.*, Chem. Pharm. Bulletin, 30, (6), 1982, 2223-2227, Synthetic Nucleosides and Nucleotides. XIX. Synthesis of 3'-Deoxycytidine 5'-Triphosphate and Related 3'-Deoxy-ribonucleotides from Cordycepin; and

Biswendu b. Goswami *et al.*, Journal of Virology, Mar. 1983, Vol. 45, No. 3, 1164-1167, Inhibition of Vaccinia Virus Growth and Virus-Specific RNA Synthesis by 3,-O-Methyl Adenosine and 3'-O-Methyl Guanosine;

Consideration of the references listed on the attached Form PTO-1449 is respectfully requested.

Respectfully submitted,



Brian P. Heaney (Reg. No. 32,842)
Attorney for Applicants

MILLEN, WHITE, ZELANO & BRANIGAN, P.C.
Arlington Courthouse Plaza I
2200 Clarendon Boulevard, Suite 1400
Arlington, Virginia 22201
Direct Dial: 703-812-5308
Facsimile: 703-243-6410
Internet Address: heaney@mwzb.com

Filed: June 22, 2001

BPH:imm\K\PHARMA\115\IDS 6-01.wpd